


Inch Stainless Steel Deep Groove Ball Bearings



Bearing Number	Dimensions		
	d (mm)	D (mm)	B (mm)
SSr09 ZZ & 2RS	1.016	3.175	1.191
SSr0 ZZ & 2RS	1.191	3.967	1.588
SSr1 ZZ & 2RS	1.397	4.763	1.984
SSr1-4 ZZ & 2RS	1.984	6.35	3.571
SSr1-5 ZZ & 2RS	2.38	7.938	3.571
SSr2a ZZ & 2RS	3.175	12.7	4.366
SSr144 ZZ & 2RS	3.175	6.35	2.38
SSr2-5 ZZ & 2RS	3.175	7.938	3.571
SSr2 ZZ & 2RS	3.175	9.525	3.967
SSr2-6 ZZ & 2RS	3.175	9.525	3.571
SSr133 ZZ & 2RS	3.38	4.763	2.38
SSr155 ZZ & 2RS	3.967	7.938	3.175
SSr3 ZZ & 2RS	4.762	12.7	4.978
SSr3a ZZ & 2RS	4.763	15.875	4.978
SS1601 ZZ & 2RS	4.763	17.463	7.938
SSr156 ZZ & 2RS	4.763	7.938	3.175
SSr166 ZZ & 2RS	4.763	9.525	3.175
SSr4 ZZ & 2RS	6.35	15.875	4.978
SS1602 ZZ & 2RS	6.35	17.463	7.938
SSr4a ZZ & 2RS	6.35	19.05	5.558
SSr188 ZZ & 2RS	6.35	9.525	3.175
SSr168 ZZ & 2RS	6.35	9.525	3.175

Inch Stainless Steel Deep Groove Ball Bearings

SSr1810 ZZ & 2RS	7.938	12.7	3.967
SS1603 ZZ & 2RS	7.938	22.225	8.733
SS1605 ZZ & 2RS	7.938	23.017	7.938
SS1604 ZZ & 2RS	9.525	22.225	8.733
SSr6 ZZ & 2RS	9.525	22.225	7.142
SS1606 ZZ & 2RS	9.525	23.017	7.938
SS1614 ZZ & 2RS	9.525	28.575	9.525
SS1607 ZZ & 2RS	11.113	23.017	7.938
SS1615 ZZ & 2RS	11.113	28.575	9.525
SS1620 ZZ & 2RS	11.113	34.925	11.113
SS1616 ZZ & 2RS	12.7	28.575	9.525
SSr8 ZZ & 2RS	12.7	28.575	7.938
SS1621 ZZ & 2RS	12.7	34.925	11.113
SS1622 ZZ & 2RS	14.288	34.925	11.113
SSr1458 ZZ & 2RS	15.875	22.225	3.967
SS1623 ZZ & 2RS	15.875	34.925	11.113
SSr10 ZZ & 2RS	15.875	34.925	8.733
SS1628 ZZ & 2RS	15.875	41.275	12.7
SS1633 ZZ & 2RS	15.875	44.45	12.7
SS1630 ZZ & 2RS	15.875	44.45	12.7
SSr12 ZZ & 2RS	19.05	41.275	11.113
SS1635 ZZ & 2RS	19.05	44.45	12.7
SS1638 ZZ & 2RS	19.05	50.8	14.288
SSr14 ZZ & 2RS	22.225	47.625	12.7
SS1640 ZZ & 2RS	22.225	50.8	14.288
SS1641 ZZ & 2RS	25.4	50.8	14.288
SSr16 ZZ & 2RS	25.4	50.8	12.7
SSr18 ZZ & 2RS	28.575	53.975	12.7

Inch Stainless Steel Deep Groove Ball Bearings

SS1652 ZZ & 2RS	28.575	63.5	15.875
SSr20 ZZ & 2RS	31.75	57.15	12.7
SS1654 ZZ & 2RS	31.75	63.5	15.875
SS1657 ZZ & 2RS	31.75	65.088	17.463
SS1658 ZZ & 2RS	33.338	65.088	17.463
SSr22 ZZ & 2RS	34.925	63.5	14.288
SSr24 ZZ & 2RS	38.1	66.675	14.288