



Bearing number	Dimensions/mm				
	d	D	B		
1200	10	30	9		
2200	10	30	14		
1201	12	32	10		
2201	12	32	14		
1301	12	37	12		
2301	12	37	17		
1202	15	35	11		
2202	15	35	14		
1302	15	42	13		
2302	15	42	17		
1203	17	40	12		
2203	17	40	16		
1303	17	47	14		
2303	17	47	19		
1204	20	47	14		
2204	20	47	18		
1304	20	52	15		
2304	20	52	21		
1205	25	52	15		
2205	25	52	18		
1305	25	62	17		
2305	25	62	24		

Self-aligning Ball Bearings

1206	30	62	16		
2206	30	62	20		
1306	30	72	19		
2306	30	72	27		
1207	35	72	17		
2207	35	72	23		
1307	35	80	21		
2307	35	80	31		
2307	35	80	31		
1208	40	80	18		
2208	40	80	23		
1308	40	90	23		
2308	40	90	33		
1209	45	85	19		
2209	45	85	23		
1309	45	100	25		
2309	45	100	36		
1210	50	90	20		
2210	50	90	23		
1310	50	110	27		
2310	50	110	40		
1211	55	100	21		
2211	55	100	25		
1311	55	120	29		
2311	55	120	43		
1212	60	110	22		
2212	60	110	28		
1312	60	130	31		

Self-aligning Ball Bearings

2312	60	130	46		
1213	65	120	23		
2213	65	120	31		
1313	65	140	33		
2313	65	140	48		
1214	70	125	24		
2214	70	125	31		
1314	70	150	35		
2314	70	150	51		
1215	75	130	25		
2215	75	130	31		
1315	75	160	37		
2315	75	160	55		
1216	80	140	26		
2216	80	140	33		
1217	85	150	28		
2217	85	150	36		
1317	85	180	41		
2317	85	180	60		
1218	90	160	30		
2218	90	160	40		
1318	90	190	43		
2318	90	190	64		
1219	95	170	32		
2219	95	170	43		
1319	95	200	45		
1220	100	180	34		
2220	100	180	46		

Self-aligning Ball Bearings

1320	100	215	47		
2320	100	215	73		
1222	110	200	38		
2222	110	200	53		